AMENDMENT AND RESPONSE TO OFFICE ACTION

#### Amendment

# In the Claims

1. (Currently Amended) A method of producing polyhydroxyalkanoates (PHA)

polymer comprising at least one monomer selected from the group consisting of 3hydroxypropionate, 3-hydroxyalerate 3-hydroxyvalerate, 4-hydroxybutyrate, 4-hydroxyvalerate,
5-hydroxyvalerate, and 3-hydroxyhexanoate, comprising

expressing in an organism genes encoding a polyhydroxyalkanoate (PHA) synthase and a CoA-dependent aldehyde dehydrogenase, wherein at least one gene is a heterologous gene, and feeding an alcohol to the organism.

- (Original) The method of claim 1 wherein the PHA polymer further comprises 3hydroxybutyrate.
- 3. (Original) The method of claim 1 wherein the PHA polymer is selected from the group consisting poly-3-hydroxybutyrate-co-3-hydroxyvalerate, poly-3-hydroxybutyrate-co-3-hydroxybropionate, poly-3-hydroxybutyrate-co-4-hydroxybutyrate, poly-3-hydroxybutyrate-co-3-hydroxyheanoate.
- 4. (Original) The method of claim 1 wherein the alcohol is selected from the group consisting of 1-propanol, 1,2-propanediol, and 1-butanol.
- 5. (Original) The method of claim 1 wherein the genes further encode enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, \(\textit{B}\)-ketothiolase, acetoacetyl-CoA reductase.

45064143v1

2

## AMENDMENT AND RESPONSE TO OFFICE ACTION

- 6. (Original) The method of claim 1 wherein the organism is selected from the group consisting of yeast, bacteria, fungi, and plants.
- 7. (Original) The method of claim 1 wherein the PHA synthase is poly(3-hydroxyalkanoate) synthase.
- 8. (Original) The method of claim 1 wherein the PHA synthase is poly(4--hydroxyalkanoate) synthase.
- 9. (Original) The method of claim 8 wherein the PHA synthase is poly(4-hydroxybutyrate) synthase.
  - 10. (Original) The method of claim 1 wherein the organism is a bacterium.
  - 11. (Original) The method of claim 10 wherein the organism is E. coli.
- 12. (Original) The method of claim 1 wherein the organism is E. coli expressing the E. coli eutE gene.

Claims 13-15 canceled.

- 16. A recombinant organism selected from the group consisting of bacteria, yeast, fungi and plants comprising a heterologous gene encoding a CoA-dependent aldehyde dehydrogenase.
- 17. The recombinant organism of claim 16 further comprising a gene encoding a PHA synthase.
- 18. The recombinant organism of claim 17 further comprising genes encoding enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, ß-ketothiolase, acetoacetyl-CoA reductase.

45054143VI

3

## AMENDMENT AND RESPONSE TO OFFICE ACTION

- 19. The recombinant organism of claim 18, wherein one or more of the genes are endogenous to the recombinant organism.
- 20. The recombinant organism of claim 18, wherein one or more of the genes encoding enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, \(\beta\)-ketothiolase, acetoacetyl-CoA reductase are heterologous to the recombinant organism.
  - 21. The recombinant organism of claim 16 wherein the gene is eutE of E. coli.
  - 22. The recombinant organism of claim 16 which is a bacteria.
  - 23. The recombinant organism of claim 16 which is a plant.
- 24. (Currently Amended) A method of producing polyhydroxyalkanoate (PHA) polymers comprising at least one monomer selected from the group consisting of 3-hydroxypropionate, 3-hydroxyvalerate 3-hydroxyvalerate, 4-hydroxybutyrate, 4-hydroxyvalerate, 5-hydroxyvalerate, and 3-hydroxyhexanoate, comprising

selecting an organism selected from the group consisting of bacteria, yeast, fungi and plants, genetically engineered to express a CoA-dependent aldehyde dehydrogenase and a PHA synthase, and feeding an alcohol to the organism.

- 25. (Original) The method of claim 24 wherein the PHA polymer further comprises 3-hydroxybutyrate.
- 26. (Original) The method of claim 24 wherein the PHA polymer is selected from the group consisting poly-3-hydroxybutyrate-co-3-hydroxyvalerate, poly-3-hydroxybutyrate-co-3-

45064143~1

## AMENDMENT AND RESPONSE TO OFFICE ACTION

hydroxypropionate, poly-3-hydroxybutyrate-co-4-hydroxybutyrate, poly-3-hydroxybutyrate-co-3-hydroxyheanoate.

- 27. (Original) The method of claim 24 wherein the alcohol is selected from the group consisting of 1-propanol, 1,2-propanediol, and 1-butanol.
- (Original) The method of claim 24 wherein the organism comprises genes 28. encoding enzymes selected from the group consisting of acyl-CoA transferase, acyl-CoA synthetase, B-ketothiolase, acetoacetyl-CoA reductase.
- (Original) The method of claim 24 wherein the organism is selected from the 29. group consisting of bacteria and plants.
- (Original) The method of claim 24 wherein the PHA synthase is poly(3-30. hydroxyalkanoate) synthase.
- (Original) The method of claim 24 wherein the PHA synthase is poly(4-31. hydroxyalkanoate) synthase.
- (Original) The method of claim 31 wherein the PHA synthase is poly(4-32. hydroxybutyrate) synthase.
  - (Original) The method of claim 24 wherein the organism is a bacterium. 33.
  - (Original) The method of claim 33 wherein the organism is E. coli. 34.
- (Original) The method of claim 24 wherein the organism is E. coli expressing the 35. E. coli eutE gene.

Claims 36-38 canceled.

5